# Subject Index for
# Electronics and Communications in Japan, Part 3, Volume 76, 1993


A-D and D-A conversions: **1**, 100-108
Abnormal clustering: **3**, 73-82
Active filter: **3**, 57-66
Adaptive algorithm: **5**, 59-70
Adaptive equalizer: **6**, 17-27
Adaptive filter: **11**, 58-68; **9**, 58-65
Adaptive processing: **3**, 73-82
Adaptive signal processing: **5**, 59-70
Admissible rate region: **2**, 44-53, 54-60
Al electrode: **10**, 33-42
Algebraic code: **6**, 60-71
Algebraic geometric codes: **12**, 1-13
Allpass filter: **11**, 79-90
Allpass network: **3**, 45-56
Analog code: **2**, 61-74
Analog integrated circuit: **11**, 20-29
Analog modulation: **10**, 43-51
Analysis bank: **12**, 85-94
Analytic signal: **6**, 17-27
Angular rate sensor: **7**, 100-108
Anodic oxidation: **8**, 45-53
Approximation problem: **5**, 39-49
Arbitrary transfer function: **5**, 89-99
ARQ: **3**, 67-72
Artificial intelligence: **9**, 44-57
Associative memory: **4**, 1-8
Autonomous decentralized system: **9**, 66-71
Autonomous system: **7**, 1-14

Bayesian method: **3**, 67-72
BCH code: **12**, 47-54
Behavior analysis: **3**, 1-12
Bifurcation: **2**, 10-18; **5**, 1-13; **7**, 1-14
Binocular fusion: **9**, 99-107
Bit error rate: **10**, 85-96
Block placement: **7**, 15-26
Block processing: **5**, 59-70
Block-coded modulation: **11**, 69-78
Boltzmann distribution: **6**, 79-86
Boolean function manipulation: **12**, 66-76
Bootstrap method: **11**, 37-46
Bottleneck: **4**, 57-70
Branch-and-bound placement: **7**, 15-26
Building block layout: **7**, 15-26
Burst error: **12**, 47-54
Byte error correction: **6**, 60-71

C language: **9**, 72-84
Cartesian space model: **4**, 79-91
Cell-based design: **4**, 47-56
Cellular neural net: **4**, 57-70
Channeling coding: **8**, 94-104
Chaos: **2**, 10-18; **4**, 35-46
Chaos bifurcation: **11**, 91-100
Chaotic neuron model: **4**, 35-46
Circuit theory: **3**, 57-66
Circular current: **10**, 97-108
Clustering: **8**, 54-63
Coded modulation: **2**, 61-74
Coding: **8**, 1-11
Coding distortion: **4**, 92-105
Coding gain: **2**, 61-74; **3**, 105-111
Coefficient quantization: **5**, 28-38
Coefficient sensitivity: **9**, 58-65
Common-key generation: **1**, 1-8
Complete weight distribution: **6**, 72-78
Complex coefficient: **1**, 31-39
Complex filter: **6**, 17-27
Complex signal processing: **3**, 57-66
Complex-coefficient transfer function: **12**, 55-65
Complex-coefficient wave digital filter: **12**, 55-65
Compound system: **2**, 10-18
Computer algebra: **12**, 14-27
Computer communication system: **9**, 44-57
Computer simulation: **4**, 9-16
Concatenated code: **4**, 71-78; **3**, 91-104
Concatenating coding: **3**, 83-91
Conditional uniary process: **12**, 95-104
Conditional unitary operator: **12**, 95-104
Conspiracy: **1**, 1-8
Constant-in-degree graph: **2**, 19-29
Constant-weight code: **8**, 94-104
Constrained equation: **11**, 91-100
Content addressable memory: **7**, 63-76
Control: **8**, 64-73
Convolutional code: **2**, 61-74
Convolutional codes: **3**, 83-91
Convolutional coding: **3**, 91-104
Coriolis force: **7**, 100-108
Correlation: **1**, 8-19
Coupled mode theory: **6**, 87-98
Coupled oscillators: **5**, 110-117
Coverage: **4**, 24-34
2-D Cutting-stock problem: **8**, 105-113
CPFSK: **10**, 85-96
Cusps: **12**, 1-13
Cyclic enzyme system: **10**, 62-72

Data compression: **8**, 85-93
Data flow analysis: **8**, 25-36

# Subject Index for
# Electronics and Communications in Japan, Part 3, Volume 76, 1993


A-D and D-A conversions: **1**, 100-108
Abnormal clustering: **3**, 73-82
Active filter: **3**, 57-66
Adaptive algorithm: **5**, 59-70
Adaptive equalizer: **6**, 17-27
Adaptive filter: **11**, 58-68; **9**, 58-65
Adaptive processing: **3**, 73-82
Adaptive signal processing: **5**, 59-70
Admissible rate region: **2**, 44-53, 54-60
Al electrode: **10**, 33-42
Algebraic code: **6**, 60-71
Algebraic geometric codes: **12**, 1-13
Allpass filter: **11**, 79-90
Allpass network: **3**, 45-56
Analog code: **2**, 61-74
Analog integrated circuit: **11**, 20-29
Analog modulation: **10**, 43-51
Analysis bank: **12**, 85-94
Analytic signal: **6**, 17-27
Angular rate sensor: **7**, 100-108
Anodic oxidation: **8**, 45-53
Approximation problem: **5**, 39-49
Arbitrary transfer function: **5**, 89-99
ARQ: **3**, 67-72
Artificial intelligence: **9**, 44-57
Associative memory: **4**, 1-8
Autonomous decentralized system: **9**, 66-71
Autonomous system: **7**, 1-14

Bayesian method: **3**, 67-72
BCH code: **12**, 47-54
Behavior analysis: **3**, 1-12
Bifurcation: **2**, 10-18; **5**, 1-13; **7**, 1-14
Binocular fusion: **9**, 99-107
Bit error rate: **10**, 85-96
Block placement: **7**, 15-26
Block processing: **5**, 59-70
Block-coded modulation: **11**, 69-78
Boltzmann distribution: **6**, 79-86
Boolean function manipulation: **12**, 66-76
Bootstrap method: **11**, 37-46
Bottleneck: **4**, 57-70
Branch-and-bound placement: **7**, 15-26
Building block layout: **7**, 15-26
Burst error: **12**, 47-54
Byte error correction: **6**, 60-71

C language: **9**, 72-84
Cartesian space model: **4**, 79-91
Cell-based design: **4**, 47-56
Cellular neural net: **4**, 57-70
Channeling coding: **8**, 94-104
Chaos: **2**, 10-18; **4**, 35-46
Chaos bifurcation: **11**, 91-100
Chaotic neuron model: **4**, 35-46
Circuit theory: **3**, 57-66
Circular current: **10**, 97-108
Clustering: **8**, 54-63
Coded modulation: **2**, 61-74
Coding: **8**, 1-11
Coding distortion: **4**, 92-105
Coding gain: **2**, 61-74; **3**, 105-111
Coefficient quantization: **5**, 28-38
Coefficient sensitivity: **9**, 58-65
Common-key generation: **1**, 1-8
Complete weight distribution: **6**, 72-78
Complex coefficient: **1**, 31-39
Complex filter: **6**, 17-27
Complex signal processing: **3**, 57-66
Complex-coefficient transfer function: **12**, 55-65
Complex-coefficient wave digital filter: **12**, 55-65
Compound system: **2**, 10-18
Computer algebra: **12**, 14-27
Computer communication system: **9**, 44-57
Computer simulation: **4**, 9-16
Concatenated code: **4**, 71-78; **3**, 91-104
Concatenating coding: **3**, 83-91
Conditional uniary process: **12**, 95-104
Conditional unitary operator: **12**, 95-104
Conspiracy: **1**, 1-8
Constant-in-degree graph: **2**, 19-29
Constant-weight code: **8**, 94-104
Constrained equation: **11**, 91-100
Content addressable memory: **7**, 63-76
Control: **8**, 64-73
Convolutional code: **2**, 61-74
Convolutional codes: **3**, 83-91
Convolutional coding: **3**, 91-104
Coriolis force: **7**, 100-108
Correlation: **1**, 8-19
Coupled mode theory: **6**, 87-98
Coupled oscillators: **5**, 110-117
Coverage: **4**, 24-34
2-D Cutting-stock problem: **8**, 105-113
CPFSK: **10**, 85-96
Cusps: **12**, 1-13
Cyclic enzyme system: **10**, 62-72

Data compression: **8**, 85-93
Data flow analysis: **8**, 25-36

DCT: **11**, 58-68
Decimation: **12**, 85-94
Decimation of sequence: **2**, 1-9
Delta function model: **8**, 37-44
Depth motion: **9**, 99-107
Depth perception: **9**, 99-107
Design for testability: **4**, 47-56
Design method: **3**, 45-56
Diagonalization of correlation: **12**, 105-113
Digital coding of sinusoidal frequencies: **1**, 90-100
Digital filter: **1**, 31-39, 78-89; **5**, 39-49; **6**, 1-16; **11**, 79-90; **3**, 45-56; **9**, 85-98
2-D Digital filter: **9**, 58-65
Digital modulation: **10**, 43-51
Digital oscillator: **1**, 78-89
Digital-analog conversion: **1**, 40-53
Diode: **11**, 30-36
Direct form I: **7**, 37-49
Directed graph: **8**, 25-36
Directional pattern matching: **1**, 8-19
Discrete logarithm problem: **12**, 37-46
Distributed parameter equivalent circuit: **6**, 87-98
Dynamic measurement technique: **7**, 90-99

ECR: **11**, 1-9
Eigenvalue problem: **3**, 45-56
Eigenvector: **11**, 58-68
Elastic convolver: **10**, 24-32
Electrode migration: **10**, 33-42
Electromechanical coupling coefficient: **11**, 1-9
Electronic circuit: **3**, 57-66
Electrostrictive materials: **1**, 20-30
Element: **1**, 54-65
Embedding: **2**, 19-29
Energy attenuation process: **12**, 95-104
Energy function: **4**, 1-8
Entropy: **6**, 79-86
Epitaxy: **10**, 33-42
Equivalent circuit: **7**, 100-108
Equivalent negative resistance: **2**, 85-98
Equivalent series resistance: **12**, 28-36
Error exponent: **2**, 44-53, 54-60
Error measurement: **3**, 34-44
Error pattern data compression: **3**, 34-44
Error-correcting codes: **6**, 72-78; **12**, 1-13; **3**, 83-91
Even number period: **2**, 1-9
Expected cost: **3**, 67-72
Expected polynomial time: **12**, 77-84

Factorization of lossless scattering matrices: **11**, 10-19
Family of curves: **12**, 1-13
Fast stabilized adaptive algorithm: **8**, 12-24
Fast-Fourier transform: **2**, 1-9
FDS: **9**, 32-43
Feedback control: **10**, 1-11
FFT: **4**, 105-114
Filter theory: **3**, 57-66
Filters: **10**, 43-51
Finite element method (FEM): **10**, 97-108
Finite-element method: **9**, 11-18
Finite-length data: **8**, 85-93
FIR filter: **4**, 105-114; **11**, 58-68
Fixed point problem: **8**, 25-36
Fixed-point problem: **9**, 19-31
Flexural bar resonator: **7**, 100-108
Flow network: **6**, 38-59
Frequency entrainment frequency synchronization: **9**, 66-71
Frequency estimation: **1**, 90-100
Frequency temperature behavior: **5**, 80-88
Frequency-temperature characteristics: **12**, 28-36
Function generator: **1**, 40-53
Functional series representation: **11**, 37-46; **3**, 13-22
Fuzzy clustering: **7**, 27-36
Fuzzy goal: **9**, 32-43
*F*-ring: **6**, 38-59

Generalizability: **3**, 73-82
Generalized Minkowski metrics: **4**, 79-91
Generalized radial basis function: **8**, 74-84
Graph theory: **2**, 19-29
Gray code: **1**, 90-100
GRBF network: **8**, 74-84
Groebner basis: **12**, 14-27
Group delay: **5**, 39-49
Group-type unidirectional transducer: **8**, 45-53
GUB constraint: **9**, 32-43
Gyrator: **1**, 54-65

Hard oscillation: **2**, 85-98
Hardware engine: **7**, 63-76
Heuristic algorithm: **3**, 23-34
High definition television (HDTV): **4**, 92-105
High frequencies: **7**, 37-49
High speeds: **5**, 14-27
High-density burst error: **12**, 47-54
Hurwitz polynomial: **10**, 1-11
Hyperchaos: **11**, 30-36
Hypercomplex number: **9**, 85-98
Hysteresis: **5**, 1-13
Hysteresis effect: **4**, 1-8
$H_\infty$ control: **2**, 75-85; **5**, 71-79

ID-based cryptosystem: **12**, 37-46
ID-based cryptosystems: **1**, 1-8
II-cascade structure: **5**, 89-99
IIR adaptive bandpass/notch filter: **8**, 12-24
IIR filters: **7**, 37-49
Ill condition: **6**, 17-27
Impedance matching: **10**, 52-61
Implicit state enumeration: **12**, 66-76
Impulsive noise: **10**, 62-72; **3**, 105-111

Information reduction: **8**, 54-63
Information structure: **4**, 35-46
Information theory: **4**, 35-46
Integral manifold: **9**, 19-31
Interdigital electrode transducer: **6**, 87-98
Interleaving: **3**, 105-111
Intermediate transfer function: **9**, 58-65
Interpolation: **10**, 1-11
Inverse projection transform: **8**, 74-84
Inverse system learning rule: **4**, 17-23
Inversion error correction: **6**, 60-71
Irregularity of scattering medium: **4**, 9-16
Iterative algorithm: **8**, 25-36

Joint angle: **2**, 108-116

K-way graph partition: **3**, 23-34
Kernel measurement precision: **11**, 37-46
Knowledge representations: **9**, 44-57
Knowledge-based design support: **9**, 44-57

Ladder circuits: **10**, 52-61
Lattice filter: **10**, 62-72
Lattice space: **2**, 19-29
Layout description language: **9**, 72-84
Leaky surface acoustic wave interdigital transducer : **5**, 100-109
Leaky surface wave: **6**, 99-106
Learning and self-organization: **11**, 20-29
Least squares algorithm: **6**, 17-27
Length extensional mode quartz crystal resonator: **5**, 80-88
Length-extensional vibration: **10**, 12-23
Limit cycle: **9**, 66-71
Limiter discriminator: **10**, 85-96
Linear approximation: **6**, 1-16
Linear constants: **1**, 20-30
Linear digital: **8**, 64-73
Linked encoders: **2**, 44-53, 54-60
36° *yx*-$LiTaO_3$: **8**, 37-44
Local current comparison method: **4**, 57-70
Lossless: **10**, 52-61
Low Earth-orbiting satellite: **4**, 24-34
Low power consumption: **7**, 37-49
Low sensitivity: **1**, 31-39; **5**, 89-99; **11**, 10-19
Low-loss filter: **6**, 99-106; **8**, 45-53
LQ control: **5**, 71-79
Lyapunov exponents: **11**, 30-36

Macrocell placement: **7**, 15-26
Magnetic field analysis: **10**, 97-108
Magnetically shielded room (MSR): **10**, 97-108
Magneto-optical disk evaluation: **3**, 34-44
Mahalanobis distance: **3**, 73-82
Map matching: **11**, 47-57
Mapping: **8**, 105-113
Mask pattern: **9**, 72-84
Mason's equivalence circuit: **10**, 12-23
Mathematical analysis of resonator: **9**, 1-10
Maximal-likelihood decoding: **4**, 71-78
Median filter: **7**, 27-36
Mel-generalized cepstral analysis: **2**, 30-43
Mel-generalized cepstrum: **2**, 30-43
Memory mechanism: **10**, 62-72
Merge operation: **8**, 105-113
Metallic grating: **9**, 11-18
Minimum bit error decoding: **3**, 83-91
Minimum variance: **8**, 64-73
Mixed breadth first/depth first search: **12**, 66-76
Mixed measurement level data: **4**, 79-91
Mobile communication: **10**, 43-51
Mobile station: **10**, 43-51
Modular multiplication: **5**, 14-27
Module generation: **9**, 72-84
Moore-Penrose generalized inverse matrix: **5**, 59-70
Motional inductance: **5**, 80-88
Multidimensional signal processing: **11**, 79-90
Multilevel coding: **3**, 105-111
Multiple clock phase circuit: **1**, 66-78
Multiple variation expansion model: **5**, 110-117
Multiple-objective linear programming: **10**, 73-84
Multirate processing: **1**, 78-89
Multistage sequential circuit: **7**, 50-62
Multiterminal source: **2**, 44-53, 54-60
Munsell color space: **4**, 92-105
Music signal: **8**, 1-11
Mutual information: **4**, 35-46

Navigation: **11**, 47-57
Nearest point problem: **2**, 99-107
Network analysis: **6**, 28-37
Neural network: **8**, 74-84; **11**, 20-29
Neural networks: **4**, 17-23
New cut: **12**, 28-36
Noise canceling: **8**, 12-24
Noise reduction: **4**, 105-114
Noncasual model: **11**, 101-111
Nonequiprobable signaling: **2**, 61-74
Noninteractive key distribution system: **12**, 37-46
Nonlinear circuit: **11**, 91-100
Nonlinear constants: **7**, 90-99
Nonlinear constraints: **1**, 20-30
Nonlinear effect: **10**, 24-32
Nonlinear equivalent circuit: **10**, 12-23
Nonlinear feedback: **9**, 19-31
Nonlinear filter: **7**, 27-36
Nonlinear negative resistance: **2**, 85-98
Nonlinear network: **6**, 28-37
Nonlinear oscillation: **9**, 66-71
Nonlinear phenomena: **5**, 110-117
Nonlinear phenomenon: **2**, 10-18
Nonlinear system: **7**, 1-14

Nonlinear system identification: **11**, 37-46; **3**, 13-22
Notion parameter: **2**, 108-116
2-D Nth-band filter: **12**, 85-94

Oblique incident grating: **9**, 11-18
One-way hash functions: **12**, 77-84
Optical disk evaluation: **3**, 34-44
Optimal control: **9**, 19-31
Optimal input power level: **3**, 13-22
Optimal number of repeat requests: **3**, 67-72
Optimal value problem: **6**, 79-86
Optimization: **8**, 105-113
Orthogonal projection matrix: **5**, 59-70
Oscillator: **1**, 78-89

Parallel algorithm: **3**, 23-34
Parallel cyclic-type circuits: **7**, 37-49
Parallel processing: **5**, 14-27
Parameter error: **2**, 75-85
Parameter estimation: **11**, 101-111
Perfect reconstruction: **5**, 28-38
Periodic solution: **5**, 1-13
Periodic structure: **6**, 87-98
Periodically operating switch: **2**, 85-98
Permissive feedback: **5**, 50-58
Perturbation: **4**, 17-23
Petri nets: **5**, 50-58
Petri nets with external input: **5**, 50-58
Phase compensation: **5**, 39-49
Phase distortion: **1**, 40-53
Picture quality assessment: **4**, 92-105
PID controller: **8**, 64-73
Piecewise linear: **11**, 30-36
Piecewise-linear system: **4**, 1-8
Piezoelectric ceramics: **1**, 20-30
Piezoelectric material: **7**, 77-90
Plural vibration bars: **5**, 80-88
Polynomial approximation: **12**, 14-27
Polynomial time samplability: **12**, 77-84
Portable telephone: **10**, 52-61
Preisach model: **5**, 1-13
Prime basis: **12**, 14-27
Prime factorization: **12**, 77-84
Prime factorization problem: **12**, 37-46
Principle component analysis: **4**, 79-91
Probabilistic polynomial time: **12**, 77-84
Product machine transversal: **12**, 66-76
Projection transform: **8**, 74-84
Pseudonoise sequence: **2**, 1-9
Psychological factors analysis: **4**, 92-105
PZT ceramics: **7**, 90-99

2-D QMF: **5**, 28-38
Quadratic B-Spline functions: **1**, 40-53
Quality assessment: **8**, 1-11
Quantification theory: **4**, 79-91
Quantum communication: **12**, 95-104
Quasi-periodic oscillation: **5**, 110-117

Random image: **11**, 101-111
Rate-distortion theory: **2**, 99-107
Rayleigh angle: **5**, 100-109
Rayleigh fading: **11**, 69-78
Reactance network: **12**, 55-65
Real-valued orthogonal sequence: **2**, 1-9
Rectangular layout: **8**, 105-113
Recursive algorithm: **8**, 105-113
Reduced biquaternion: **9**, 85-98
Reed-Solomon code: **8**, 94-104; **12**, 47-54; **3**, 91-104
Reed-Solomon codes: **6**, 72-78
Reflectional symmetry: **1**, 8-19
Relative entropy: **12**, 105-113
Reliability: **4**, 71-78
Reliability optimization: **9**, 32-43
Remez algorithm: **5**, 28-38
Return map: **11**, 30-36
Riccati equation: **5**, 71-79
Rician fading: **11**, 69-78
Robust control: **2**, 75-85
Robust stabilization: **10**, 1-11
Robustness: **10**, 62-72
Roesser's model: **9**, 58-65
Rotational symmetry: **1**, 8-19
Routing algorithm: **7**, 63-76
RSA cryptosystem: **5**, 14-27
RSA public-key cryptosystem: **1**, 1-8

Sampling filter: **6**, 1-16
Sampling theorem: **1**, 100-108; **6**, 1-16
SAW: **11**, 1-9
SAW devices: **7**, 77-90
SAW propagation characteristic: **7**, 77-90
SAW resonator: **10**, 33-42, 52-61
SAW substrate: **7**, 77-90
Segment vector: **2**, 108-116
Self-organization model: **3**, 73-82
Semantic structure graphs: **3**, 1-12
Sensitivity: **1**, 54-65; **2**, 75-85; **4**, 17-23
Sequence estimation: **10**, 85-96
Shielding factor: **10**, 97-108
Shortest-path problem: **8**, 25-36
Sign language: **2**, 108-116
Signal estimation: **6**, 1-16; **7**, 27-36
Signal processing: **1**, 100-108
Signal propagation: **7**, 50-62
Signal-noise-ratio (SNR): **4**, 9-16
Simplex algorithm: **10**, 73-84
Simulated annealing: **6**, 79-86
Simultaneous nonlinear equation: **12**, 14-27
Single sinusoid detection: **8**, 12-24
Smooth analog signal generator: **1**, 40-53
Soft-decision decoding: **4**, 71-78

Solid burst error: **12**, 47-54
Speckle: **4**, 9-16
Spectral enhancement: **4**, 105-114
Spectral estimation of speech: **2**, 30-43
Spectral model: **2**, 30-43
Spectral peak: **4**, 105-114
Speech coding: **8**, 54-63
SPICE: **1**, 54-65
Spline function: **1**, 100-108
Spread spectrum: **8**, 94-104
Sputtering: **11**, 1-9
Square of distance: **4**, 24-34
Squeezed state: **12**, 95-104
SSBW: **8**, 37-44
Stability: **11**, 79-90
Stability analysis: **5**, 1-13
Stack: **8**, 105-113
Start-up time: **5**, 80-88
State equation: **12**, 55-65
2-D State-space filter: **9**, 58-65
State-space method: **5**, 71-79
Static timing method: **1**, 66-78
Steady-state variance: **8**, 64-73
Stereoscopic vision: **9**, 99-107
Stopband: **9**, 11-18
Stress migration: **10**, 33-42
Structural boundedness: **5**, 89-99; **11**, 10-19
Structural model: **2**, 108-116
Surface acoustic wave: **6**, 99-106; **7**, 77-90; **8**, 45-53; **10**, 24-32; **9**, 11-18
Surface acoustic wave devices: **10**, 43-51
Surface acoustic waveguide: **10**, 24-32
Surface acoustic waves: **6**, 87-98
Switched capacitor filters: **7**, 37-49
Switched network: **6**, 28-37
Symmetrical orbit model: **4**, 24-34
Symmetry: **1**, 8-19; **7**, 1-14
Synchronization design: **1**, 66-78
Synchronization error correction: **6**, 60-71
Synchronization of envelopes: **5**, 110-117
Synchronization word detection: **3**, 91-104
Synthesis banks: **12**, 85-94
Systolic arrays: **5**, 14-27

T-cascade connection: **11**, 10-19
Temperature characteristics: **7**, 90-99
Test generation: **12**, 66-76
Test pattern assembly: **4**, 47-56
Testing methodology: **4**, 47-56
Texture whiteness: **11**, 101-111
Thickness-extensional vibration: **10**, 12-23
Time-correlated fading estimation and compensation: **11**, 69-78
Timing: **7**, 50-62
Timing analysis: **1**, 66-78
Timing verification: **1**, 66-78
Toeplitz matrix: **11**, 58-68
Torsional quartz resonator: **9**, 1-10
Trajectory sensitivity: **2**, 75-85
Transcendental function: **12**, 14-27
Transformation of MOLP problems: **10**, 73-84
Trapezoidal fuzzy coefficients: **10**, 73-84
Trellis decoding: **10**, 85-96
TT-cut from quartz crystal: **9**, 1-10
Two-dimensional graph representation: **3**, 1-12
Two-port adapter: **1**, 31-39
Two-route capacity: **6**, 38-59
Two-route flow: **6**, 38-59

Ultrasonic echogram: **4**, 9-16
Uncertain system: **10**, 1-11
Unidirectional transducer: **6**, 99-106
Uniform wiring: **2**, 19-29
Universal code: **2**, 44-53, 54-60; **8**, 85-93

Variable filter Q-factor and step size: **8**, 12-24
Variable input power level: **11**, 37-46
VCCS: **1**, 54-65
Vector quantization: **2**, 99-107; **8**, 54-63
Velocity dispersion: **5**, 100-109
Vibratory gyroscope: **7**, 100-108
Visually handicapped: **11**, 47-57
Viterbi algorithm: **4**, 71-78
Viterbi coding: **3**, 91-104
Viterbi decoding: **11**, 69-78
VLSI layout: **3**, 23-34; **7**, 63-76

Walking: **11**, 47-57
Wave digital filter: **5**, 89-99
Wave digital filters: **11**, 10-19
Wavelet: **12**, 105-113
Weight distribution: **6**, 72-78
White noise analysis: **3**, 13-22
Wide-band telecommunication: **8**, 1-11
Width-extensional mode quartz crystal resonator: **12**, 28-36
Wiener kernel estimation: **3**, 13-22
Wiring structure: **2**, 19-29

Ziv-Lempel coding algorithm: **8**, 85-93
ZnO: **11**, 1-9